

A LOCAL TIME MANAGEMENT IP CORE

| | |
|--|---|
| <p>Steven Redant <i>IMEC, Kapeldreef 75</i> <i>B-3001 Leuven</i> <i>Belgium</i> <i>E-mail: redant@imec.be</i></p> | <p>Sandi Habinc <i>ESA/ESTEC WSM, Postbus 299</i> <i>NL-2200 AG</i> <i>Noordwijk, The Netherlands</i> <i>E-mail: sandi@ws.estec.esa.nl</i></p> |
|--|---|

Abstract

Previously there have been difficulties in accurately establishing the time correlation between events reported on ground via packet telemetry data and their actual time of occurrence in an onboard application. The Local Time Management System is a VHDL IP core enabling users to overcome this problem by time stamping data at source. The high resolution and precision of the local time reference, with which data may be time stamped, is maintained automatically by this core.

I. INTRODUCTION

With the advent of packet telemetry, the time correlation between the generation of onboard data and its reception on ground has become more complex compared to previous use of fixed frame protocols. Packet telemetry allows dynamic bandwidth allocation schemes, buffering etc., making it flexible and adaptable. This however leads to an asynchronous delivery system which is no longer fully deterministic in that the sampling instant is not related to a position in the transfer frame.

The task of determining the time when data were sampled or generated onboard is therefore not simple anymore. Hence, new methods are required for providing the users with time information related to the telemetry data stream.

The purpose of the Local Time Management System (LTMS) is to provide time coherence throughout the spacecraft without requiring processing power from the applications using it. It provides a time stamp facility for datation of events, an alarm clock, a pulse generator, a waveform generator and a stopwatch.

The LTMS VHDL core has been developed by IMEC (B) under the prime contractor Dornier Satellitensysteme (D).

The concept of decentralised onboard time references is discussed in the next section, followed by a description of how time coherence is achieved with the LTMS and what kind of time facilities it offers. An example of how the LTMS can be used together with the On-Board Data Handling (OBDH) bus is provided.

II. DECENTRALISED ONBOARD TIME DISTRIBUTION

The general approach to accurately maintain onboard time is to have a central time reference measuring the elapsed time from an arbitrary epoch and to distribute regularly this time information to onboard applications by means of messages and synchronisation pulses. Each application maintains its local reference of the elapsed time which it synchronises with the central time reference using the aforementioned means.

Another approach would be to have a centralised time system, where each application that needs to time stamp data could request the unit maintaining the central time reference to provide the relevant time information. Such an approach would have several inherent drawbacks, e.g. in systems with many users, the accuracy of a time stamp could be jeopardised due to long service latency and excessive bus traffic could degrade the overall performance of the On Board Data Handling (OBDH) system. These reasons have made the distributed approach the preferred one and it has been selected for a standard that will govern the time distribution on future spacecraft.

Previous implementations have required support from the application processor to maintain synchronisation between the central and the local time references. Protocols and formats for distributing time information have differed between spacecraft and have sometimes only provided low resolution or poor accuracy.

The purpose of the LTMS is to provide an accurate time coherence throughout the spacecraft without requiring any processing power from the applications using it. The LTMS does not only provide local time information to its users, but also implements advanced checks in order to determine the quality and validity of the received time information. This point has very often been neglected in past implementations where the loop was left open, e.g. users were not warned when faulty time information had been received due to transmission errors, synchronisation problems or other error sources.

The LTMS implements the incoming ESA standard specifying a time distribution protocol as shown in figure 1. This makes the component suitable for use on future spacecraft. The protocol has been defined in a way that




Fig. 2. *Elapsed Time Format*

depends on the selected operating mode of the LTMS. As a result of this, the least significant bit of the ET counter can have the weights 2^{-22} , 2^{-21} , 2^{-20} or 2^{-19} of a second, corresponding to a resolution between approximately 240 ns to 2 μ s.

The central ET reference is assumed to be managed by the Central Time Management System (CTMS). Coherence between the central and the local ET references is maintained by means of synchronisation information distributed from the CTMS. The LTMS performs regular synchronisations with respect to the central ET reference using this information. The information provided by the CTMS to the LTMS comprises messages containing time codes, synchronisation pulses and phase references.

Every second a message including a time code is broadcast from the CTMS to all LTMS components in the system. Each message is followed by a synchronisation pulse which acts as a 'mark to establish the instant at which the delivered time code is applied. The synchronisation pulses occur at one second intervals and coincide with the increments of the units of seconds bit in the ET counter. No sub-second information needs to be included in messages sent by the CTMS. The messages accepted by the LTMS are compliant with the Serial Time Distribution Protocol as defined by the 4-255 Data Bus Protocol Extensions [2].

These messages can be acquired through a bit serial interface or via a parallel microprocessor interface. In the serial protocol, as has been depicted in figure 1, the messages are Manchester encoded and also carry the synchronisation pulses and phase references. To get the best accuracy, this information should be delivered by a system which is coherent with the clock of the central time counter.

The parallel protocol, not shown here, is similar to the serial one, but does not include parity or optional mission parameters. The parallel interface is compatible with the ERC32 and MA31 750 (both Mark-I and Mark-II) microprocessors, requiring little or no additional external hardware for connecting them together. The input clock driving the microprocessor interface is decoupled from the rest of the LTMS allowing the microprocessor to operate at an arbitrary frequency.

The LTMS checks the format and contents of the received messages and also the timing of the synchronisation pulses. If all this is found to be correct, a re-synchronisation of the LTMS ET counter is performed on the detection of the synchronisation pulse when required. This synchronisation consists of loading the received time code into the coarse part of the ET counter and resetting the fine part of the ET counter to zero. The size of the time window in which this synchronisation instant is allowed to occur is configurable. Monotonic ET count with resolutions down to 2^{-20} of a second can be maintained, corresponding to approximately 1 μ s. Note the difference between the synchronisation process in the LTMS and previous implementations: no time discontinuities need to occur in the LTMS ET counter.

When errors are detected in messages or in the timing of the synchronisation, the built-in error handling will limit the consequences thereof not to unnecessarily upset the local ET. A dedicated output pin continuously informs about time validity. The time validity of the ET counter and the overall results of the internal error checkers related to the synchronisation process can also be monitored by reading a status register.

The CTMS provides the LTMS with phase references to which the clock driving the ET counter can be adjusted. The clock driving the LTMS ET counter does not need to originate from the CTMS and may thus be generated locally. This clock may be provided from external circuitry, e.g. the OBDH bus clock, and should then be consistent with the desired ET resolution and be acting as the phase reference. Alternatively, the LTMS may derive it from a supplied 2^{24} Hz (≈ 16.77 MHz) crystal or clock signal. The built-in crystal oscillator requires only a crystal, two capacitors and a resistor to operate, and can also be used for driving external components such as a microprocessor. The internally derived clock can be slaved to the incoming phase references by either using the built-in or an external Digital Phase Locked Loop (DPLL).

When the LTMS is operated with such a derived clock, the phase references do not have to occur at regular intervals since the use of a DPLL offers a free-wheeling capability in case of phase reference drop out. Note

that this also enables the LTMS to maintain an ET counter with a higher resolution than the provided phase references. In case of requiring maximum resolution coupled with infrequent phase references, an external DPLL would have to be employed if crystal stability does not meet the requirements posed by the built-in DPLL. The LTMS phase reference frequency is configurable to match various types of surrounding equipment, such as the OBDH and the Mil-1553B buses.

The LTMS can also operate in stand alone mode without a central time reference. It then maintains its own time reference and no synchronisation is required. It is however possible to initialise the LTMS from time to time via the parallel microprocessor interface. This provides the capability to use the LTMS even when no CTMS is available in the system, making it backward compatible with some earlier equipment.

IV. THE LTMS TIME FACILITIES

The LTMS can provide its users with more than just a high quality local time reference. It can provide time facilities that are accessible via the parallel microprocessor interface as can be seen in the LTMS block diagram in figure 3. They can be controlled and observed via dedicated inputs/outputs as well as via control registers.

The Time Stamp facility allows the LTMS user to time stamp data. An external event on a dedicated time strobe input is used to latch the ET counter value into a facility register. Additionally, the status of the LTMS and the rest of the time distribution chain is latched on the event. The register contents can then be read via the microprocessor interface and associated with the corresponding data. A time strobe event can also be induced by writing to a control register. Events on the time strobe that occur before the registers have been fully read after a previous event are flagged in a status register, providing the users with information about the validity of the datation. The time resolution of this service is the same as for the ET counter.




Fig. 3. LTMS Block Diagram

The Alarm Clock allows the LTMS user to generate an alarm occurring at desired ET values, programmed via the parallel microprocessor interface. The alarm will be set off immediately if a time that already has been past is written, thus preventing potential system deadlocks. At the alarm time, a dedicated output pin is asserted and stays so until a new alarm time has been programmed. The time resolution of this service is also the same as for the ET counter.

The Pulse Generator facility enables the CTMS to generate pulses on a LTMS output pin at a maximum rate of 1 Hz. The pulses are controlled by the phase field in the CTMS message and are generated at the instant the monotonic field of the LTMS counter becomes equal to the supplied time information. A prerequisite for generating a pulse is that the corresponding CTMS message has been qualified and used for the synchronisation of the LTMS ET counter. Consequently pulses are generated in phase with the central time reference.

The Waveform Generator facility allows the CTMS or the LTMS user to generate a periodic pattern on a dedicated LTMS output pin. The pattern period and duty cycle are programmable via the waveform field in the CTMS message or via the parallel microprocessor interface. The time resolution for this generator is the same as for the ET counter.

The pulse- and waveform generator facilities can be combined to form a programmable frequency generator by simply connecting some LTMS pins to each other. This combined generator can create periodic and phase controlled patterns and is under the control of the CTMS.

The Stopwatch facility allows the LTMS user to measure elapsed time between events with a resolution down to 2^{-24} of a second, corresponding to approximately 60 ns. It can also count the number of events within a predefined interval. The intervals can be as long as 18 hours and approximately a billion events can be counted. These measurements are unaffected by the LTMS synchronisation process. A measurement can be suspended and continued at any time. The end of a measurement or saturation of a counter are flagged in a status register, providing information regarding the validity of the measurement.

With its extension interface the LTMS enables board designers to extend or customise the on-chip time facilities with a minimum of external hardware. All information fields of the CTMS message are serially shifted out via this interface. The LTMS component relieves its host system from any processing load associated with the provision of ET at local level when implementing external time facilities.

V. USING THE LTMS IN AN OBDH APPLICATION

Most LTMS applications are expected to involve the OBDH bus. Figure 4 shows a typical configuration where the LTMS is connected to the OBDH bus through a Data Bus Unit (DBU) and a Remote Bus Interface (RBI).

The CTMS is assumed to be integrated into the interrogation generator of the OBDH Central Data Management Unit (CDMU). To broadcast time information to all the LTMS components in the spacecraft, the CDMU modulates one of the BroadCast Pulse (BCP) bits transmitted in each 32 bit bus interrogation. This virtual serial line is coherent with the central elapsed time clock and has an effective bandwidth of one sixty-fourth of the bus bit rate, which is more than enough to carry the time messages, the synchronisation pulses and the phase references.




Fig. 4. The LTMS in a typical OBDH system configuration

In the configuration shown, the LTMS operates in serial mode. To get the very highest resolution, the clock driving its ET counter is generated by a 16.77 MHz crystal directly connected to the built-in crystal oscillator cell. The internal DPLL adjusts this clock to the phase reference carried on the BCP output of the RBI. The synchronisation process between the LTMS and the CTMS is completely transparent to the application. Even after a complete reset of the application, no support from the processor is required since the LTMS will automatically synchronise its ET counter to the central time reference.

Previous implementations of time distribution have required extensive support from the application processor. One particular protocol required that the CDMU ordered each user to enable the time counter to be reset on reception of a broadcast pulse. This was performed by means of an OBDH bus interrogation. Next, the value of the central time reference at the reset instant was broadcast and had to be added to the local time counters by the application processor. As a last step, the users were ordered by an interrogation to disable further resets of the counter in question. It is clear that this protocol caused discontinuities in local time counters that could result in incorrect time information being provided to users. It also required a high level of involvement from the application processors to achieve time coherence throughout the spacecraft. The new standard protocol implemented by the LTMS relieves the application processor from such duties. It also avoids discontinuities in the local time counters and provides high resolution.

VI. CONCLUSIONS

This paper presents a synthesizable VHDL IP core which allows to implement current and planned standards governing time distribution onboard spacecraft together with a potential application scenario. The LTMS supplies its users with correctly phased, identical local copies of the central elapsed time reference onboard a spacecraft. The LTMS detects and manages errors in the time distribution chain, and provides its user with information regarding the validity of the local time reference. It can provide time stamping of events, an alarm clock, a stopwatch, waveform and pulse generators. With the LTMS, a novel way of time distribution with high resolution and accuracy has been introduced, requiring little or no support from the application incorporating it. The functionality of the core has been proven in a successfully evaluated prototype, processed in MITELs now discontinued CMOS SOS5 1.25 process [3]. The total gate count of the prototype was 27,000. The LTMS core can however be sized to its required application. This can dramatically reduce its size to less than 10,000 gates.

VII. ACRONYMS AND ABBREVIATIONS

| | |
|-------|---|
| ASIC | Application Specific Integrated Circuit |
| BCP | BroadCast Pulse |
| CCSDS | Consultative Committee for Space Data Systems |
| CDMU | Central Data Management Unit |
| CTMS | Central Time Management System |
| CUC | CCSDS Unsegmented Code |
| DBU | Data Bus Unit |
| DPLL | Digital Phase Locked Loop |
| ERC32 | Embedded Real-time Computer |
| ERS | European Remote Sensing satellite(s) |
| ESA | European Space Agency |
| ESTEC | European Space Research and Technology Centre |
| ET | Elapsed Time |
| IEEE | Institute of Electrical and Electronics Engineers |
| IP | Intellectual Property |
| LTMS | Local Time Management System |
| OBDH | On-Board Data Handling |
| RBI | Remote Bus Interface |
| VCA | Virtual Channel Assembler |
| VHDL | VHSIC Hardware Description Language |
| VHSIC | Very High Speed Integrated Circuit |

REFERENCES

- [1] "Time Code Standards, Consultative Committee for Space Data Systems", *CCSDS 301.0-B-2, Blue Book, Issue 2*, April 1990.
- [2] "4-255 Data Bus Protocol Extensions", *PSS-04-256*
- [3] "Local Time Management System MS13196" Data Sheet", *Mitel Semiconductor*, Draft B